



SINCE 1998 !

HOUSEHOLD APPLIANCES

Mite Cleaner

Bug Zapper (Mosquito Lamp)

Bug Zapper (Electric Mosquito Racket)

Solar Flash Light

LED Emergency Lantern



2025 CATALOG

PROFILE

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. IS LEADING THE RESEARCH, DEVELOPMENT & PRODUCTION OF HIGH-TECH PRODUCTS IN CHINA, WITH THE EXPORT CAPACITY OF MORE THAN USD 20,000,000 PER YEAR. WE SINCERELY KEEP US MOTIVATED & SEARCH EXCELLENT CONTINUALLY.

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. HAD PASSED ISO 9001-2008 & SGS INTERNATIONAL MANAGEMENT SYSTEM APPROVAL, ALSO HOLD CHINESE LOCAL CREDIT APPROVAL: "HONOR THE CONTRACT AND KEEP OUR PROMISE" AND WORK AS GOLDEN MEMBER OF MINISTRY OF COMMERCIAL OF CHINA. "HCX" PRODUCTS HAVE CE & RoHS APPROVAL.

OUR PRODUCTS HAD EXPORTED TO AMERICA, EUROPE, SOUTH AMERICA, MIDDLE EAST AREA & ASIA, TOTALLY MORE THAN 45 COUNTRIES.

"HCX" BRAND MAIN PRODUCTS ARE:

- A. MITE CLEANER
- B. BUG ZAPPER (MOSQUITO LAMP)
- C. BUG ZAPPER (ELECTRIC MOSQUITO RACKET)
- D. SOLAR FLASH LIGHT
- E. LED EMERGENCY LANTERN

OUR OTHER PRODUCTS ARE KITCHEN APPLIANCE PRODUCTS. PLEASE VISIT OUR WEBSITE: <http://www.hcx-co.com> OR <http://www.chenpin.com> AND DOWNLOAD CATALOG.

TABLE OF CONTENTS

01 MITE CLEANER

BUG ZAPPER (MOSQUITO LAMP) 02

05 BUG ZAPPER (ELECTRIC MOSQUITO RACKET)

SOLAR FLASH LIGHT 08

09 LED EMERGENCY LANTERN



The mite cleaner adopts the flapping mode to vibrate 6000 times per minute, which can effectively loosen the dust and dirt deep in the mattress, and the 8000Pa strong vacuuming mode can easily suck away the dust and mite so that your clean and comfortable home. Rechargeable & portable design: Rechargeable battery provides a long lasting 20 minute run time.



HCX-M701

Voltage: 5V

Power: 100W

Lithium battery: 3pcs 18650# 1500mAh

Capacity: 180ml

Dimension: 252x117x240mm





HCX-K898-USB (3W)
HCX-K898R-USB (3W)

Lithium battery: 1pc 18650# 2000mAh

Size: 130x130x320mm

Packing size: 74.5x32x73cm/20pcs/ctn






HCX-K897-USB (3W)
HCX-K897R-USB (3W)

Lithium battery: 1pc 18650# 2000mAh

Size: 120x120x325mm

Packing size: 74.5x32x73cm/20pcs/ctn






HCX-K826 (2.5W)
HCX-K826R (2.5W)

LED quantity: 6 pieces

Lithium battery: 1pc 18650# 1200mAh

Size: 260x240x40mm

Packing size: 42x55x58cm/36pcs/ctn



HCX-K894-USB (3W)

LED quantity: 10 pieces

Size: 160x150x252mm

Packing size: 76x38.5x61cm/16pcs/ctn



HCX-K893-USB (3W)

LED quantity: 18 pieces

Size: 140x140x320mm

Packing size: 77x38x73cm/16pcs/ctn



HCX-787-8000

Night light with mosquito killer lantern
Surface width: 92mm
Length: 180mm
Packing size: 40x39x51cm/120pcs/ctn

HCX-K787-6500

Surface width: 220mm
Length: 427mm
Lithium battery: 1pc 14500# 500mAh
Packing size: 72x40x47cm/60pcs/ctn



HCX-K787-7400

Surface width: 210mm
Length: 433mm
Lithium battery: 1pc 14500# 500mAh
Packing size: 56x36x47cm/48pcs/ctn



HCX-K787-6300

Surface width: 207mm
Length: 470mm
Lithium battery: 1pc 14500# 500mAh
Packing size: 72x38x51cm/60pcs/ctn



HCX-K787-6400

Surface width: 210mm
Length: 486mm
Lithium battery: 1pc 18650# 1200mAh
Packing size: 72x38x54cm/60pcs/ctn



HCX-K787-7500

Surface width: 208mm
Length: 503mm
Lithium battery: 1pc 14500# 500mAh
Packing size: 62x36x53cm/48pcs/ctn



HCX-715-516

Surface width: 165mm
 Length: 430mm
 Use by 2pcs "AA" size battery
 Packing size: 70x26x46cm/60pcs/ctn



HCX-720-417

Surface width: 170mm
 Length: 440mm
 Use by 2pcs "AA" size battery
 Packing size: 70x26x46cm/60pcs/ctn



HCX-710-418

Surface width: 180mm
 Length: 435mm
 Use by 2pcs "AA" size battery
 Packing size: 56x33x47cm/48pcs/ctn



HCX-716-419

Surface width: 190mm
 Length: 465mm
 Use by 2pcs "AA" size battery
 Packing size: 70x27x48cm/60pcs/ctn

Safety Bug Zapper (Double Switch)



HCX-719-6500

Surface width: 220mm
 Length: 430mm
 Use by 2pcs "AA" size battery
 Packing size: 71x40x49cm/60pcs/ctn



HCX-787-7400U

Surface width: 210mm
Length: 430mm
Lithium battery: 1pc 14500# 500mAh
Packing size: 56x36x47cm/48pcs/ctn



HCX-787-7300U

Surface width: 215mm
Length: 480mm
Sealed lead-acid battery: 4V 300mAh
Packing size: 68x29x52cm/60pcs/ctn



HCX-787-6300U

Surface width: 207mm
Length: 465mm
Sealed lead-acid battery: 4V 300mAh
Lithium battery: 1pc 14500# 500mAh
Packing size: 70x38x51cm/60pcs/ctn



HCX-787-7100W

Surface width: 205mm
Length: 510mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 78x33x56cm/60pcs/ctn



HCX-787-7500U

Surface width: 208mm
Length: 500mm
Lithium battery: 1pc 14500# 500mAh
Packing size: 62x36x53cm/48pcs/ctn



HCX-787-7200

Surface width: 217mm
Length: 510mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 77x31x54cm/60pcs/ctn



HCX-787-7600W

Surface width: 208mm
Length: 490mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 62x42x53cm/48pcs/ctn



HCX-784-3021

Surface width: 213mm
Length: 485mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 61x44x52cm/60pcs/ctn



HCX-787-7700W

Surface width: 220mm
Length: 510mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 62x38x55cm/48pcs/ctn



HCX-729-419B

Surface width: 190mm
Length: 480mm
Sealed lead-acid battery: 4V 300mAh
Packing size: 66x29x50cm/60pcs/ctn



HCX-787-7800W

Surface width: 208mm
Length: 490mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 58x38x53cm/48pcs/ctn



HCX-729-421B

Surface width: 215mm
Length: 493mm
Sealed lead-acid battery: 4V 300mAh
Packing size: 66x29x52cm/60pcs/ctn





HCX-736-7900-1LM

Surface width: 205mm
 Length: 546mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 74x35x58cm/48pcs/ctn



HCX-735-423-1LM

Surface width: 225mm
 Length: 530mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 74x36x57cm/48pcs/ctn



HCX-746-1123-5

Surface width: 235mm
 Length: 543mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 65x41x58cm/50pcs/ctn

SOLAR FLASH LIGHT



HCX-RL5220

1 pc 1W LED / 2W COB
 Luminous flux: 100 Lm
 Durability time: 4 / 3 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø73 x 212 mm
 Packing size: 72x29x60cm/100pcs/ctn



HCX-C03

1 pc 0.75 W LED / 6 pcs SMD 2835
 Luminous flux: 75 / 20 Lm
 Durability time: 12 / 12 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø52 x 170 mm
 Packing size: 53x28x41cm/120pcs/ctn



HCX-C04

1 pc 0.75 W LED / 6 pcs SMD 2835
 Luminous flux: 75 / 20 Lm
 Durability time: 12 / 12 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø52 x 170 mm
 Packing size: 53x28x41cm/120pcs/ctn





Magnetic

HCX-KT101

56 pcs SMD 2835 LED
Descr.: 450 x 32 x 36 mm
Luminous flux: 500 Lm
Lithium battery:
1pc 18650# 1800mAh
Durability time: 3 Hours



Magnetic

HCX-KT102

36 pcs SMD 2835 LED
Descr.: 300 x 32 x 36 mm
Luminous flux: 300 Lm
Lithium battery:
1pc 18650# 1200mAh
Durability time: 3 Hours



HCX-RL3331

30 pcs SMD 2835 LED
Descr.: 240 x 64 x 46 mm
Luminous flux: 300 Lm
Lithium battery:
1 pc 18650# 1800 mAh
Durability time: 4 / 6 Hours



HCX-RL3361

60 pcs SMD 2835 LED
Descr.: 380 x 64 x 46 mm
Luminous flux: 600 Lm
Lithium battery:
2 pcs 18650# 1800 mAh
Durability time: 4 / 6 Hours




HCX-RL3391

90 pcs SMD 2835 LED
Descr.: 530 x 64 x 46 mm
Luminous flux: 900 Lm
Lithium battery:
2 pcs 18650# 1800 mAh
Durability time: 2.5 / 4 Hours



SINCE 1998 !



SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD.

ADD: RM 603 KIN HWA CHEONG BUILDING HENGSHAN ROAD SHANTOU S.E.Z. CHINA

FAX: +86-754-88836390

TEL: +86-754-88836391 88836392 88836393

WEB: <http://www.hcx-co.com> & <http://www.chenpin.com> E-mail: info@hcx-co.com & chenpin@pub.shantou.gd.cn

